Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

This listing of claims replaces all prior versions, and listings of claims in the instant application:

Listing of Claims:

1. (Currently Amended) A method in a data processing system for fulfilling data requests, the method comprising:

receiving a data request from a client data processing device;

determining whether the requested data is transmitted via a first continuous broadcast loop, wherein the first continuous broadcast loop includes one or more data points continuously transmitted in order from a start data point to an end data point;

retrieving the requested data, wherein if the requested data is transmitted via a first continuous broadcast loop, retrieving the requested data comprises

opening a use connection to the first continuous broadcast loop;

receiving a complete data transmission fromof
the first continuous broadcast loop;

closing the use connection to the first continuous broadcast loop; and

transmitting the requested data to the client data processing device <u>following said closing</u>.

2. (Original) The method of claim 1, wherein the complete data transmission comprises data transmitted through the use connection between a first transmission of a first data point on the first continuous broadcast loop and a second transmission of the first data point, and

the first data point may comprise a data point other than the start data point on the first continuous broadcast loop.

Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

3. (Original) The method of claim 2, wherein the first data point comprises a marker.

4. (Currently Amended) The method of claim 2, further comprising:

storing the first data point;

retrieving one or more data points from the continuous broadcast loop, wherein each data point received is compared to the stored first data point; and performing said closing the use connection when the received data point matches the stored first data point.

5. (Original) The method of claim 4, further comprising arranging the retrieved data points in order from the start data point to the end data point.

6. (Cancelled)

- 7. (Original) The method of claim 1, wherein the series of data points transmitted by the first continuous-broadcast loop comprises a document that may be displayed by a browser program executing at the client data processing device.
- 8. (Original) The method of claim 1, wherein a second continuous broadcast loop is accessed by clicking on a link displayed by a browser program.
- 9. (Currently Amended) The method of claim <u>+8</u>, wherein the first and second continuous broadcast loops transmit data using HTTP.
- 10. (Original) The method of claim 1, wherein the data points comprise TCP data packets.

Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

11. (Currently Amended) A computer system comprising:

a memory having stored thereon a World Wide Web content request processing module;

a processor coupled to said memory, wherein upon execution of said World Wide Web content request processing module by said processor, generating a method comprising:

receiving a data request from a client data processing device;

determining whether the data request is associated with a first continuous broadcast loop, wherein the first continuous broadcast loop includes one or more data points continuously transmitted in order from a start data point to an end data point;

retrieving the requested data, wherein if the requested data is transmitted via a first continuous broadcast loop, retrieving the requested data comprises

opening a use connection to the first continuous broadcast loop;

receiving a complete data transmission from of the first continuous broadcast loop;
 closing the use connection to the first
continuous broadcast loop; and

transmitting the requested data to the client data processing device <u>following said</u> closing.

12. (Original) The system of claim 11, wherein the complete data transmission comprises data transmitted through the use connection between a first transmission of a first data point on the first continuous broadcast loop and a second transmission of the first data point, and

Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

the first data point may comprise a data point other than the start data point on the first continuous broadcast loop.

- 13. (Original) The system of claim 12, wherein the first data point comprises a flag value.
- 14. (Currently Amended) The system of claim 12, wherein the requested data is read from the continuous broadcast loop by

storing the first data point;

retrieving one or more data points from the continuous broadcast loop, wherein each data point received is compared to the stored first data point; and performing said closing the use connection when the received data point matches the stored first data point.

15. (Original) The system of claim 14, wherein the requested data comprises the retrieved data points, wherein the retrieved data points are arranged in order from the start data point to the end data point.

16. (Cancelled)

- 17. (Original) The system of claim 11, wherein the series of data points transmitted by the first continuous broadcast loop comprises a document that may be displayed by a browser program executing at the client data processing device.
- 18. (Original) The system of claim 11, wherein a second continuous broadcast loop is accessed by clicking on a link displayed by a browser program.

Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

19. (Currently Amended) The system of claim $\frac{1118}{19}$, wherein the first and second continuous broadcast loops transmit data using HTTP.

- 20. (Original) The system of claim 11, wherein the data points comprise TCP data packets.
 - 21. (Currently Amended) A system comprising:

means for receiving a data request from a client data processing device;

means for determining whether the requested data is transmitted via a first continuous broadcast loop, wherein the first continuous broadcast loop includes one or more data points continuously transmitted in order from a start data point to an end data point;

means for retrieving the requested data, wherein if the requested data is transmitted via a first continuous broadcast loop, retrieving the requested data comprises

opening a use connection to the first continuous broadcast loop;

receiving a complete data transmission fromof
the first continuous broadcast loop;

closing the use connection to the first continuous broadcast loop; and

transmitting the requested data to the client data processing device <u>following said closing</u>.

22. (Currently Amended) A computer-readable medium containing instructions that cause a data processing system to perform a method for fulfilling data requests, the method comprising:

receiving a data request from a client data processing device;

Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

determining whether the requested data is transmitted via a first continuous broadcast loop, wherein the first continuous broadcast loop includes one or more data points continuously transmitted in order from a start data point to an end data point;

retrieving the requested data, wherein if the requested data is transmitted via a first continuous broadcast loop, retrieving the requested data comprises

opening a use connection to the first continuous broadcast loop;

receiving a complete data transmission from of
the first continuous broadcast loop;

closing the use connection to the first continuous broadcast loop; and

transmitting the requested data to the client data processing device following said closing.

23. (Currently Amended) A computer program product having stored thereon a method for broadcasting World Wide Web content data, the method comprising:

receiving a data request from a client data processing device;

determining whether the requested data is transmitted via a first continuous broadcast loop, wherein the first continuous broadcast loop includes one or more data points continuously transmitted in order from a start data point to an end data point;

retrieving the requested data, wherein if the requested data is transmitted via a first continuous broadcast loop, retrieving the requested data comprises

opening a use connection to the first continuous broadcast loop;

receiving a complete data transmission from_of
the first continuous broadcast loop;

GUNNISON, McKAY & HODGSON, L.L.P. Garden West Office Plaza 1900 Garden Road, Suite 220 Monterey, CA 93940 (831) 655-0880 Fax (831) 655-0888

Amdt. dated August 1, 2005

Reply to Office Action of March 1, 2005

closing the use connection to the first continuous broadcast loop; and

transmitting the requested data to the client data processing device <u>following said closing</u>.

GUNNISON, McKAY & HODGSON, L.L.P. Garden West Office Plaza 1900 Garden Road, Suite 220 Montery, CA 93940 (831) 655-0880 Fax (831) 655-0888